



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda J. Campos
Director

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

******POSTPONING OPENING OF EB LOCATION TO JANUARY 9th, 2017******

In an effort to enhance services to our vendor community, the Purchasing Department will begin maintaining an EB Office location in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Beginning January 9, 2017 bidders may submit bid responses to this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages.** Please note that all bid openings will continue at 200 Derbigny Street, Suite 4400, Gretna, LA 70053.

Other Changes Continued:

- Affidavits (Non-Public Works Affidavit or Public Works Affidavit) – as you are aware, bidders are required to submit affidavits pursuant to LA public bid law and Jefferson Parish Code of Ordinances. Bidders must read each bid package to ensure compliance. Effective August 1st, ***affidavits are required with bid submission.*** While copies are acceptable to include with bid submission, original affidavits are required upon contract execution. Original affidavits are encouraged with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- Upon contract execution, successful bidder must continue producing final insurance certificates per standard Jefferson Parish insurance requirements. Proof of insurance is required for bidding purposes. Bidders must read the insurance requirements attachment included in each bid package for specific instructions.

Bidders should reference the “Additional Requirements” section of the bid instructions and/or the “Important Notice to Bidders” included in the bid package for specific requirements to respond accordingly. These changes are pursuant Louisiana Public Bid Law more specifically, Act 406 of the 2016 Louisiana Legislative Regular Session. For the purposes of this communication, this change applies to Jefferson Parish Government bid solicitations only. For more information, please call Jefferson Parish Purchasing at 504-364-2678.



Bid Number 50-00118305
TWO (2) YEAR CONTRACT FOR CONCRETE (STREET) MAINTENANCE
FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS –
STREETS AND ALL JEFFERSON PARISH AGENCIES AND MUNICIPALITIES
(EXCLUDING GRAND ISLE)

BID DUE DATE, TIME: JANUARY 5, 2017, AT 2:00 P.M.

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received in the Purchasing Department by the bid due date and time.

Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Daphne Nelson
Buyer Email: DNelson@jeffparish.net
Buyer Phone: (504) 364-2650

DATE: 11/22/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00118305

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: DNELSON@jeffparish.net

BIDS WILL BE RECEIVED IN THE PURCHASING DEPARTMENT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 1/05/2017 AND PUBLICLY OPENED THEREAFTER.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS
THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from www.purchasing.jeffparish.net and by clicking on Vendor Information. While Jefferson Parish may have these on file, all bidders should furnish their current W-9 Form and respective Tax Identification Numbers with bid submission; records on file may be invalid or expired. The successful bidder must submit a W-9 Form and respective Tax Identification Number upon contract execution. Failure to do so may result in delay of payment.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

If the bid exceeds \$30,000.00 and the company is duly authorized to do business in the state of Louisiana, a corporate resolution must be submitted with the bid or the person signing the bid documents must be listed on the Louisiana Secretary of State's website as an officer of the corporation, unless bidder has otherwise complied with LSA-R.S. 38:2212 (B)(5). If the bid is in excess of \$30,000 and bidder is registered out of the state of Louisiana, a corporate resolution must be submitted with the bid, unless bidder has otherwise complied with LSA-R.S. 38:2212 (B)(5). Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. Bids submitted by Owner or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

Preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA-R.S.38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.

This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit the Purchasing Department webpage at <http://purchasing.jeffparish.net> to register and review Jefferson Parish solicitations.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.

2,3,4,6,7,10,11,12,13,14

**PRE-BID CONFERENCE TO BE HELD AT: J.P. PURCHASING DEPT., 200 DERBIGNY ST.,
STE. 4400, GRETN, LA 70053 AT 10:00 AM
ON 12/12/2016**

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached "insurance requirements" sheet. All bidders must comply with the instructions in this sheet. Failure to comply will cause bid to be rejected.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session – Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

IMPORTANT NOTICE TO ALL BIDDERS – BID REQUIREMENTS

Vendors may submit electronic bids with no fee for submission by using Central Auction House. Vendors may visit www.purchasing.jeffparish.net for further information and for link to Central Auction House or visit them directly at www.jeffparishbids.net.

By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well as compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, as published on <http://ethics.la.gov> and applicable Jefferson Parish ethical standards.

As per LA R.S. 38:2212(B)(2), the bid form shall contain Bid Security or Bid Bond, Acknowledgment of Addenda, Base Bid, Alternates, Signature of Bidder, Name, Title and Address of Bidder, Name of Firm or Joint Venture Corporate Resolution or other appropriate signature authorization, if required, Louisiana Contractors License Number, and on public works projects where unit prices are utilized, a section on the bid form where the unit price utilized in the bid shall be set forth; however, unit prices shall not be utilized for the construction of building projects, unless the unit price is incorporated into the base bid or alternates.

Pursuant to LA R.S. 38:2212(B)(3)(b), all bidders bidding on public works for Jefferson Parish shall submit all bid forms as required by statute or by LA Administrative Code to the governing authority of Jefferson Parish or by Jefferson Parish Code of Ordinances and the Jefferson Parish General Terms and Conditions with bid submission. Failure to provide said information and documentation with bid submission shall be grounds to declare the bid non-responsive. This required information and documentation includes, but is not limited to, the Public Works Bid Affidavit and current insurance certificate. For bidding purposes, all bidders must submit with bid submission completed, signed and properly notarized affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT, which is included in this bid package. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

Bidders must review the bid specifications and include any other required documentation as appropriate, especially if federal funding regulations and requirements apply. Please note that the payment and performance bonds must be supplied by the successful bidder upon contract signing. Further, while Jefferson Parish may have these on file, all bidders are encouraged to furnish their current W-9 Form and respective Tax Identification Numbers with bid submission; records on file may be invalid or expired. However, the successful bidder must submit a W-9 Form and respective Tax Identification Number upon contract execution. Failure to do so may result in payment delays.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

Louisiana Contractor's License shall be in the following category:

Highway, Street, and Bridge Construction - Subclass: Permanent or paved highways and streets (asphalt surface treatment)

Probable Construction Cost: \$ \$10,000,000.00 for the 2 year period

Bidder agrees that this bid shall be good and may not be withdrawn for a period of forty-five (45) calendar days after the scheduled closing time for receiving bids. In the event the Owner issues the Letter of Award (copy of adopted resolution awarding bid by Jefferson Parish Council) during this period, the bid accepted shall continue to remain binding until the execution of the Contract.

Low Bidder will execute the formal agreement and will deliver a Performance Bond or Bonds for the faithful performance of the Contract.

Bid Security, in the sum of five percent (5%) of the total bid price (Base Bid and any Alternates), is to become the property of the Owner in the event the successful bidder fails or refuses to execute the Contract or fails to produce performance and payment bonds upon contract signing. If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid Solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.

Further, upon receiving a notice to proceed, the Bidder agrees that all work shall be completed as follows: N/A

Further, as per Resolutions 113646 and 113647, the Bidder agrees to pay, as liquidated damages, the sum of N/A as follows for: (1) each consecutive calendar day after the agreed date of completion that the work remains substantially incomplete, or (2) each consecutive calendar day after substantial completion that the work has not been finally completed.

In addition to and not in lieu of the per diem liquidated damages, Owner shall also be entitled to recover from Contractor or Contractor's Surety additional liquidated damages as detailed in Resolutions 113646 and 113647. These additional liquidated damages may include, but are not limited to the following, in the amounts and for each of the items identified in the Supplementary Conditions:

- (1) Extended architectural and/or engineering fees \$ 0.00 ;
- (2) Extended Resident Project Representative fees \$ 0.00 ;
- (3) Extended construction management fees \$ 0.00 ;
- (4) Extended Owner's overhead and personnel expenses \$ 0.00 ; and
- (5) Owner's other costs directly related to the delay in completion beyond the Contract Times.

In addition to liquidated damages, in accordance with Section 6.02, "Labor; Working Hours," whenever Contractor's work requires inspections in excess of the budgeted amount for inspection, Contractor shall reimburse Owner for the additional costs incurred by the Owner with respect to inspection of the contracted project provided the additional costs for inspections are above the budgeted amount for the contracted project.

For this project, the Project Representative Services, in accordance with the terms of the Engineer's agreement with the Owner, provides that the average hourly rate to be charged for resident inspection for this construction project is \$ 0.00 and the reasonable budget for such inspections is \$ 0.00 (the overtime rates shall be \$ 0.00 per hour). The cost of inspection in excess of this budgeted amount shall be assessed against Contractor's progress payments, all in accordance with LSA R.S. 38:2216(L)(2).

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the inspector general in any investigation, audit, inspection, performance review, or hearing pursuant to this chapter. Every parish contract and every bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program shall contain a statement that the corporation, partnership, or person understands and will abide by all provisions of this chapter.

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST. SUITE 4400
GRETN, LA 70053
(Owner to provide name and address of owner)

BID FOR: **TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS – STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)**

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: _____

and dated: _____
(Owner to provide name of entity preparing bidding documents.)

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following **ADDENDA**: (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging) _____

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" * but not alternates) the sum of:

_____ Dollars (\$) _____

ALTERNATES: For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

Alternate No. 1 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

_____ Dollars (\$) _____

Alternate No. 2 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

_____ Dollars (\$) _____

Alternate No. 3 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

_____ Dollars (\$) _____

NAME OF BIDDER: _____

ADDRESS OF BIDDER: _____

LOUISIANA CONTRACTOR'S LICENSE NUMBER: _____

NAME OF AUTHORIZED SIGNATORY OF BIDDER: _____

TITLE OF AUTHORIZED SIGNATORY OF BIDDER: _____

SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER **: _____

DATE: _____

* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

** If someone other than a corporate officer signs for the Bidder/Contractor, a copy of a corporate resolution or other signature authorization shall be required for submission of bid. Failure to include a copy of the appropriate signature authorization, if required, may result in the rejection of the bid unless bidder has complied with La. R.S. 38:2212(B)5.

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LSA-R.S. 38:2218.A is attached to and made a part of this bid.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS - STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0010 PCC 4 INCH THICK (REMOVAL/DISPOSAL REPLACEMENT OR NEW) HIGH EARLY STRENGTH		
	<input type="checkbox"/> Alt.#	4000 PSI - 72 HOURS, IN PLACE FOR SIDE- WALK		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0010	4,200.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0020 PCC 5 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH		
	<input type="checkbox"/> Alt.#	4000 PSI - 72 HOURS FOR INCIDENTAL CONCRETE, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0020	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0030 PCC 6 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH		
	<input type="checkbox"/> Alt.#	4000 PSI - 72 HOURS, IN PLACE FOR DRIVE WAY APRON (W/O STEEL MESH REINFORCEMENT		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0030	8,000.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0040 PCC 6 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH		
	<input type="checkbox"/> Alt.#	4000 PSI - 72 HOURS, IN PLACE FOR HANDICAPPED RAMP WITH 6X6 - W2.9 STEEL		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0040	3,500.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0050 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (LESS THAN 50 SQYD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0050	2,000.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0060 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (50 SQYD OR GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0060	60,000.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0070 PCC 8 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0070	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0080 PCC 8 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW) HIGH EARLY STRENGTH		
	<input type="checkbox"/> Alt.#	4000 PSI - 72 HOURS IN PLACE FOR HANDICAPPED RAMPS WITH 6X6 - W2.9 STEEL		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0080	800.00	SQYD		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS - STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0090 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#__	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (LESS THAN 50 SQYD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0090	300.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0100 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#__	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (50 SQYD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0100	15,000.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0110 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#__	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (LESS THAN 50 SQYD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0110	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0120 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#__	HIGH EARLY STRENGTH 4000 PSI - 72 HOURS, IN PLACE (50 SQYD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0120	50.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0130 PCC 6 INCH THICK (REMOVAL/DISPOSAL/ REPLACEMENT OR NEW), HIGH EARLY STRENGT		
	<input type="checkbox"/> Alt.#__	4000 PSI - 24 HOURS, IN PLACE FOR DRIVEWAY APRON (WITHOUT STEEL MESH		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0130	2,400.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0140 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#__	HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (LESS THAN 50 SQYD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0140	100.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0150 PCC 7 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#__	HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (50 SQYD AND GREATER PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0150	375.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0160 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW),		
	<input type="checkbox"/> Alt.#__	HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (LESS THAN 50 SQYD PER JOB)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0160	50.00	SQYD		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS - STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0170 PCC 9 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW) , HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (50 SQYD AND GREATER PER JOB)
REF NO.	QUANTITY	UNIT OF MEASURE
0170	400.00	SQYD

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0180 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW) , HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (LESS THAN 50 SQYD PER JOB)
REF NO.	QUANTITY	UNIT OF MEASURE
0180	50.00	SQYD

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0190 PCC 10 INCH THICK INCLUDING CURB (REMOVAL/DISPOSAL/REPLACEMENT OR NEW) , HIGH EARLY STRENGTH 4000 PSI - 24 HOURS, IN PLACE (50 SQYD AND GREATER PER JOB)
REF NO.	QUANTITY	UNIT OF MEASURE
0190	125.00	SQYD

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0192 PCC REMOVAL (ONLY) , 6.5 INCH OR LESS
REF NO.	QUANTITY	UNIT OF MEASURE
0192	100.00	SQYD

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0194 PCC REMOVAL (ONLY) , GREATER THAN 6.5 INCH TO 10 INCH
REF NO.	QUANTITY	UNIT OF MEASURE
0194	100.00	SQYD

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0200 WASHED GRAVEL (PAVEMENT SURFACE)
REF NO.	QUANTITY	UNIT OF MEASURE
0200	40.00	SQYD

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0210 SLATE (PAVEMENT SURFACE)
REF NO.	QUANTITY	UNIT OF MEASURE
0210	20.00	SQYD

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0220 STONE PAVERS (PAVEMENT SURFACE)
REF NO.	QUANTITY	UNIT OF MEASURE
0220	20.00	SQYD

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS – STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0230 BRICK PAVERS (PAVEMENT SURFACE)	
	<input type="checkbox"/> Alt.#__		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0230	20.00	SQYD	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0240 STAMPED CONCRETE (PAVEMENT SURFACE)	
	<input type="checkbox"/> Alt.#__		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0240	20.00	SQYD	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0250 PCC CURB, EXTRUDED 8 IN HGT HIGH EARLY STRENGTH 4000 PSI - 72 HRS BARRIER TYPE (INCLUDES NO 4 (U) SHAPED CURB DOWEL SPACED 2 FT-0 IN OC ANCHORED INTO	
	<input type="checkbox"/> Alt.#__		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0250	100.00	LF	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0260 PCC CURB EXTRUDED 6 IN HEIGHT, HIGH EARLY STRENGTH 4000 PSI - 72 HRS BARRIE TYPE INCLUDES NO 4 (U) SHAPED CURB DOWEL SPACED 2 FT-0 IN OC ANCHORED	
	<input type="checkbox"/> Alt.#__		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0260	1,000.00	LF	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0270 PCC CURB EXTRUDED 5 IN ROLLOVER TYPE HIGH EARLY STRENGTH 4000 PSI 72 HRS (INCLUDES NO. 4 (U) SHAPED DOWELS SPACED 2 FT.-0 INCH O.C. ANCHORED INTO SLAB	
	<input type="checkbox"/> Alt.#__		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0270	550.00	LF	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0280 PCC (7 INCH THICK) BOXING FOR MANHOLES/CATCH BASINS (REMOVAL/REPLACE- MENT OR NEW)	
	<input type="checkbox"/> Alt.#__		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0280	500.00	SQYD	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0290 PCC (9 INCH THICK) BOXING FOR MANHOLES/CATCH BASINS (REMOVAL/REPLACE- MENT OR NEW)	
	<input type="checkbox"/> Alt.#__		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0290	30.00	SQYD	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0300 PCC (10 INCH THICK) BOXING FOR MANHOLES/CATCH BASINS (REMOVAL/REPLACE- MENT OR NEW)	
	<input type="checkbox"/> Alt.#__		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0300	25.00	SQYD	

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS - STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0310 EARTHWORK EXCAVATION BY TRUCK MEASURE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0310	5,500.00	CUYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0320 EARTHWORK EXCAVATION BY THEORETICAL VOLUME		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0320	100.00	CUYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0330 RIVER (BATTURE) SAND		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0330	450.00	CUYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0340 PUMP (SUGAR) SAND		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0340	12,000.00	CUYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0350 LIMESTONE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0350	1,400.00	TN		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0360 CRUSHED CONCRETE CLASS I OR II		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0360	150.00	TN		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0370 REINFORCED CONCRETE 15 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0370	8.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0380 REINFORCED CONCRETE 18 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0380	8.00	LF		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS - STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0390 REINFORCED CONCRETE 24 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0390	8.00	LF

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0400 REINFORCED CONCRETE 30 INCH DIAMETER, RCP, C-76, CLASS III, RUBBER GASKET, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0400	8.00	LF

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0410 6 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0410	80.00	LF

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0420 8 INCH DIAMETER, P.V.C. PIPE, SDR 35, PERFORATED, 1/2 INCH DIAMETER HOLE, 12 INCH CENTER TO CENTER, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0420	16.00	LF

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0430 8 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0430	16.00	LF

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0440 10 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0440	16.00	LF

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0450 12 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0450	16.00	LF

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0460 15 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE
REF NO.	QUANTITY	UNIT OF MEASURE
0460	16.00	LF

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS – STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0470 18 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE	<input type="checkbox"/> Alt.#
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0470	16.00	LF	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0480 24 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE	<input type="checkbox"/> Alt.#
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0480	16.00	LF	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0490 30 INCH DIAMETER, P.V.C. PIPE, SDR 35, IN PLACE	<input type="checkbox"/> Alt.#
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0490	16.00	LF	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0500 12 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)	<input type="checkbox"/> Alt.#
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0500	800.00	LF	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0510 15 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)	<input type="checkbox"/> Alt.#
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0510	400.00	LF	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0520 18 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)	<input type="checkbox"/> Alt.#
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0520	20.00	LF	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0530 21 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)	<input type="checkbox"/> Alt.#
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0530	20.00	LF	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0540 24 INCH DIAMETER, A-2000 PIPE IN PLACE (AS APPROVED BY LADOTD-QPL66)	<input type="checkbox"/> Alt.#
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0540	20.00	LF	

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS – STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0550 24 INCH DIAMETER, CMP, RIBBED POLYMER COATED 12 GA, INSTALLED	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0550	20.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0560 27 DIAMETER, CMP, RIBBED POLYMER COATED 12 GA, INSTALLED	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0560	20.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0570 30 INCH DIAMETER, CMP, RIBBED POLYMER COATED 12 GA, INSTALLED	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0570	20.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0580 CONVERT TYPE I CATCH BASIN (VERTICAL FACE) TO TYPE III (STANDARD ROLLOVER GRATE WITH FRAME)	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0580	5.00	EA	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0590 CONVERT TYPE I CATCH BASIN TO 24 INCH X 36 INCH DROP INLET WITH FRAME AND GRATE	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0590	1.00	EA	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0600 CONVERT EXISTING DRAIN INLET/CATCH BASIN TO MANHOLE (INCLUDES CASTINGS, COVER AND ALL RELATED WORK)	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0600	1.00	EA	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0610 CONVERT TYPE I CATCH BASIN TO 24 INCH X 36 INCH OR ROLLOVER INCLUDING MANHOLE COVER AND GRATE	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0610	1.00	EA	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0620 YARD DRAIN, 12 INCH X 12 INCH OPEN GRATE WITH FRAME, 4 INCH BRICK WALL, 6 INCH CONCRETE SLAB FOUNDATION	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0620	5.00	EA	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS - STREET'S & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0630 DROP INLET, 18 INCH X 18 INCH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 6 INCH REINFORCED CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0630	20.00	EA

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0640 DROP INLET, 24 INCH X 24 INCH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 6 INCH REINFORCED CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0640	25.00	EA

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0650 DROP INLET, 24 INCH X 36 INCH OPEN GRATE WITH FRAME, 8 INCH BRICK WALL, 6 INCH REINFORCED CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0650	5.00	EA

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0660 CATCH BASIN, STANDARD ROLLOVER TYPE 2, 8 INCH BRICK WALL, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0660	5.00	EA

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0670 CATCH BASIN, STANDARD, TYPE I VERTICAL FACE, 8 INCH BRICK WALL, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0670	10.00	EA

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0680 DRAINAGE MANHOLE, STANDARD, 8 INCH BRICK WALL, AVERAGE 48 INCH BOTTOM DIAMETER, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION
REF NO.	QUANTITY	UNIT OF MEASURE
0680	5.00	EA

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0690 CONFLICT BOX FOR CONFLICTING UNDERGROUND UTILITIES (INCLUDES CASTINGS, COVER AND ALL RELATED WORK)
REF NO.	QUANTITY	UNIT OF MEASURE
0690	5.00	EA

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0700 CATCH BASIN, NO. 5 - 8 INCH BRICK WALL, TYPE I, VERTICAL FACE WITH FLAT GRATE IN THE GUTTER
REF NO.	QUANTITY	UNIT OF MEASURE
0700	5.00	EA

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS - STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0710 CATCH BASIN, STANDARD, TYPE III, 8 INCH BRICK WALL, 8 INCH CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0710	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0720 CATCH BASIN, STANDARD TYPE IV, 8 INCH BRICK WALL, 8 INCH CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0720	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0730 JUNCTION BOX, STANDARD 8 INCH BRICK WALL, 24 IN X 36 IN OPEN GRATE COVER WITH FRAME, 8 INCH REINFORCED CONCRETE SLAB FOUNDATION		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0730	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0740 STRUCTURAL GRADE ADJUSTMENTS (ELEV.) TO EXISTING CATCH BASIN/MANHOLE (NON-REINFORCED)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0740	250.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0750 STRUCTURAL GRADE ADJUSTMENTS EXISTING REINFORCED CONCRETE CATCH BASIN - SINGLE OR MANHOLE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0750	10.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0760 STRUCTURAL GRADE ADJUSTMENTS EXISTING REINFORCED CONCRETE CATCH BASINS - DOUBLE NO. 1 CATCH BASINS		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0760	5.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0770 RING ADJUSTMENTS, PER INCH, TO EXISTING MANHOLE		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0770	10.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #___	0780 MISCELLANEOUS TIE-INS, BLIND TIE, INCLUDES TEE IF NEEDED (YARD DRAINS, FILTER BEDS, ETC.)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0780	50.00	EA		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS - STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0790 JUNCTION BOX (SPECIAL) 6 FT TO 8 FT DEPTH, BRICK WALL, 12 INCH THICK REINFORCED CONCRETE BASE SLAB 12 INCH THICK AREA 64 SQ. FT. +/- .		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0790	1.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0800 JUNCTION BOX (SPECIAL) 8 FT TO 10 FT DEPTH, BRICK WALL 12 INCH THICK REINFORCED CONCRETE BASE SLAB 12 INCH THICK AREA 100 SQ. FT +/- .		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0800	1.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0810 ASPHALT OR PCC SAW CUT, PER INCH DEPTH		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0810	50,000.00	LF		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0820 LIQUID POURED ASPHALT TYPE SEALANT APPLIED PER GALLON		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0820	20.00	GL		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0830 DETECTABLE WARNING PAD(24INX48IN) W/RAISED TRUNCATED DOMES PER ADA GUIDES VISUALLY CONTRASTING W/ADJOINING SURFACE TERRA COTTA IN PLACE FOR CURB RAMPS/LOA		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0830	450.00	EA		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0840 FURNISH & INSTALL WIRE MESH REINFORCEMENT - 6X6-W2.9XW2.9 FOR PAVEMENT & WALKWAYS AS NEEDED (NOT USED IF WIRE MESH IS INCIDENTAL TO OTHER		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0840	6,400.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0850 SHEETING IN PLACE (UP TO 12 FT. DEEP TRENCHCUT)		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0850	250.00	FT		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt.#__	0860 ST. AUGUSTINE GRASS SOD/CENTIPEDE GRASS SOD		
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
0860	1,500.00	SQYD		

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS - STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0870 BERMUDA GRASS SOD	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0870	10.00	LB	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0880 RYE GRASS SEED	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0880	5.00	LB	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0890 8-8-8 GRANULAR FERTILIZER	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0890	30.00	LB	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0900 HYDRO-SEEDING	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0900	100.00	SQYD	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0910 GEOTEXTILE FABRIC (CLASS D)	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0910	8,600.00	SQYD	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0920 GEOGRID BASE REINFORCEMENT AND GEO SUB-GRADE IMPROVEMENT TYPE I, BOX 1100	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0920	5.00	SQYD	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0930 GEOGRID BASE REINFORCEMENT AND GEO SUB-GRADE IMPROVEMENT TYPE II, BOX 1200	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0930	5.00	SQYD	

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0940 FIBROUS MATERIAL: PAVE PREP TYPE S	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0940	5.00	SQFT	

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS - STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0950 FIBROUS MATERIAL:PAVE PREP,TYPE SA	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0950	5.00	SQFT	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0960 REINFORCING STEEL BARS, IN PLACE	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0960	1,000.00	LB	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0970 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 200 SQ. IN. CROSS SECTION MAX. 4000 PSI	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0970	400.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0980 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 250 SQ. IN. CROSS SECTION MAX, 4000 PSI	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0980	250.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	0990 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 300 SQ. IN. CROSS SECTION MAX, 4000 PSI	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
0990	200.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1000 CONCRETE CURB AND GUTTER ROLLOVER OR BARRIER, 400 SQ. IN. CROSS SECTION MAX, 4000 PSI	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
1000	200.00	LF	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1010 COLD MILLING EXISTING ASPHALT (PER INCH DEPTH)	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
1010	5.00	SQYD	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1020 BITUMINOUS HOT MIX ASPHALT PATCHING AND LEVELING	<input type="checkbox"/> Alt.#__
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE
1020	1.00	TN	
UNIT PRICE EXTENSION (Quantity times Unit Price)			

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETNA, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS – STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	1030 VEHICLE DETECTOR INDUCTIVE LOOP INSTALLATION OR REPLACEMENT
REF NO.	QUANTITY	UNIT OF MEASURE
1030	5.00	LF

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	1040 1 INCH, 2 INCH, OR 3 INCH P.V.C CONDUIT IN EARTH
REF NO.	QUANTITY	UNIT OF MEASURE
1040	5.00	LF

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	1050 ROAD GRADER AND OPERATOR (VENDOR TO INDICATE TYPE OF GRADER TO BE FURNISHED)
REF NO.	QUANTITY	UNIT OF MEASURE
1050	8.00	HR

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	1060 PAVEMENT BREAKER, SELF-CONTAINED MOBILE WITH OPERATOR
REF NO.	QUANTITY	UNIT OF MEASURE
1060	8.00	HR

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	1070 GRADE-ALL WITH OPERATOR
REF NO.	QUANTITY	UNIT OF MEASURE
1070	8.00	HR

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	1080 DUMP TRUCK, TANDEM, 12 CU. YD. MINIMUM CAPACITY WITH DRIVER
REF NO.	QUANTITY	UNIT OF MEASURE
1080	8.00	HR

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	1090 DUMP TRUCK, TRAILER, 24 CU. YD. MINIMUM CAPACITY WITH DRIVER
REF NO.	QUANTITY	UNIT OF MEASURE
1090	8.00	HR

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid <input type="checkbox"/> Alt. #__	1100 STREET SWEEPER 10 FT SWEEP PATTERN 8 FT. MAIN BROOM, TWO 2 FT. SIDE BROOMS 3.5 CUYD (MIN) FRONT LOADING HOPPER WITH OPERATOR
REF NO.	QUANTITY	UNIT OF MEASURE
1100	8.00	HR

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

Bid# 50-00118305

TO: JEFFERSON PARISH
PURCHASING DEPT
200 DERBIGNY ST, STE 4400
GRETN, LA 70053
(Owner to provide name and
address of owner)

TWO (2) YEAR CONTRACT FOR CONCRETE (STREET)
MAINTENANCE FOR THE JEFFERSON PARISH DEPT.
OF PUBLIC WORKS – STREETS & ALL JEFFERSON
PARISH AGENCIES & MUNICIPALITIES
(EXCLUDING GRAND ISLE)

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices.
Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1110 DOZER/D3 OR EQUAL WITH OPERATOR		
	<input type="checkbox"/> Alt.#__			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1110	8.00	HR		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1120 NORTH AMERICAN GREEN S75 STRAW EROSION CONTROL BLANKET OR EQUIVALENT		
	<input type="checkbox"/> Alt.#__			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1120	5.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1130 NORTH AMERICAN GREEN S150 STRAW EROSION CONTROL BLANKET OR EQUIVALENT		
	<input type="checkbox"/> Alt.#__			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1130	5.00	SQYD		

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid	1140 NIGHT WORK		
	<input type="checkbox"/> Alt.#__			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
1140	1.00	JOB		

DESCRIPTION:	<input type="checkbox"/> Base Bid			
	<input type="checkbox"/> Alt.#__			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input type="checkbox"/> Base Bid			
	<input type="checkbox"/> Alt.#__			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input type="checkbox"/> Base Bid			
	<input type="checkbox"/> Alt.#__			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

DESCRIPTION:	<input type="checkbox"/> Base Bid			
	<input type="checkbox"/> Alt.#__			
REF NO.	QUANTITY	UNIT OF MEASURE	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)

Wording for "DESCRIPTION" is to be provided by the Owner.
All quantities are estimated. The contractor will be paid based upon actual quantities as verified by the Owner.

CONCRETE (STREET) MAINTENANCE

Two (2) year contract for Concrete (Street) Maintenance for the Jefferson Parish Department of Public Works – Streets and all Jefferson Parish agencies and municipalities (excluding Grand Isle).

PRE-BID CONFERENCE:

All prospective bidders are invited to attend this non-mandatory pre-bid conference which will be held at 10:00 a.m. on December 12, 2016 in the Jefferson Parish Purchasing Department located at 200 Derbigny Street, Suite 4400, Gretna, LA 70053. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.

BONDS:

Surety Bond: 5% of bid amount is required

A performance bond and payment bond in the amount of 50% of the contract is required.

LOUISIANA STATE CONTRACTOR'S LICENSE: Vendor must have a Louisiana State Contractor's License in the Category of Highway, Street, and Bridge Construction - Subclass: Permanent or paved highways and streets (asphalt surface treatment).

GENERAL SPECIFICATIONS:

All work shall be performed in accordance with Jefferson Parish Standard Details for Roadways, Sidewalks and Curbs, as well as applicable utilities. Copies are available at the Department of Engineering, Suite 802, Yenni Building.

The terms and conditions of Resolution 113646 will be considered a part of the bid whether attached or not. A copy may be obtained from the Office of the Parish Clerk, 6th Floor, General Government Building, 200 Derbigny Street, Gretna, LA 70053.

Service Engineer

A person with license as a professional engineer in accordance with State of Louisiana Law, who is employed by the contractor to provide technical direction of the maintenance service.
Initials (Abbreviations)

AASHTO – American Association of State Highway and Transportation Officials

ACI – American Concrete Institute

ANS – American National Standards

ASA – American Standards Association
ASTM – American Society for Testing Materials
ATSSA – American Traffic Safety Services Association
AWWA – American Water Works Association
JPDPW – Jefferson Parish Department of Public Works
LADOTD – Louisiana Department of Transportation and Development

This is a "Concrete (Street) Maintenance Contract". It is intended to supplement work performed by regular maintenance forces of the Department of Public Works – Streets. Types of work under this contract include, but are not limited to concrete maintenance projects such as: concrete slab removal and replacement, concrete curb repairs, roadway revisions such as the addition of concrete turning lanes and median crossings, sidewalk/handicap ramp and drive apron replacement and new installations (typically when in conjunction with a work order that includes panel replacement, but may be without panel replacement), additions or revisions to subsurface drainage systems and structures.

The contract will be for a period of two (2) years. Contract prices are firm during the entire two (2) year contract period.

The quantities in the proposal form are approximate for the comparison of bids only. The parish reserves the right to purchase only such items and in such quantities as needed for the duration of this contract after acceptance of the lowest responsible bid by the parish governing authority.

The definition of "JOB" shall be the work described on any one issued work order. Each "JOB" shall be estimated as to time required to complete the amount of work proposed. Many "JOB" sizes will be relatively small: that is, the paving of several street panels having a normal width of 13 feet and each being from 15 to 20 feet in length. However, some "JOBS" may require the paving of several adjoining panels resulting in hundreds of square yards of paving.

All of the work within the limits of each job shall be shown to the contractor by a representative of the Department of Public Works prior to commencing work. If required, appropriate sketches and/or drawings may be furnished to the contractor with each work order. Work sites may be scattered for an individual work order; however, every effort will be made to consolidate the work to minimize scattered work sites. The contractor shall begin the work within 10 days after issuance of a work order. All street layouts/surveying for each work order shall be incidental to the bid items with no additional payment.

Most of the work areas are residential streets. Occasionally contracts may involve replacing slabs on major streets (minimum thicknesses of 9"/10" for slabs are required on these streets). Contractor may also be required to replace slabs as soon as possible in the event of blowouts. Normally all work shall be completed within thirty (30) days from the issuance of the work order.

Each work order will be issued in writing with appropriate drawings if required, or other attachments and will designate a job number (WO#XX-XXX). All correspondence, billing, etc., pertaining to the work should reference the job number. Payment will be made upon receipt of detailed and itemized invoices and verification by parish inspectors regarding quantity and quality of work performed. Partial payment will be made only when completion is unduly delayed through no fault of the contractor in which case requests for partial payment may be submitted monthly.

If contractor leaves the job incomplete for over a 30 day period, the parish has the right to use other Parish contracts as a means to complete outstanding work and the ability to bill the current contractor with those charges incurred. However, if the contractor has a valid reason to hold off on a job, he has to obtain written permission from the Director of Streets for the stipulated delay.

Also the owner has the right to put a hold on a job at the beginning or when job is in progress without designating a reason. If the job is discontinued, the contractor will be compensated only for the items of work actually done and not for any down time.

Contractor shall not work during the holidays observed by Jefferson Parish unless otherwise authorized in writing by the director.

Contractor shall not schedule any contract work on major roads and thoroughfares between Thanksgiving and New Year holidays, or during Mardi Gras season.

If any sworn statements of claims are filed during the term of this contract, the parish shall withhold the next accruing payment and shall have the authority to satisfy the claim and deduct the amount from payments due.

If any liens arising out of this contract should be discovered to exist after all payments are made, the contractor shall refund the parish all monies that the latter may be compelled to pay in discharging such liens, including litigation costs and attorney's fees.

Adequate safety precautions will be taken for all work performed under this contract. Necessary barricades, signs, lights and warning devices including arrowboard if required will be installed and maintained by the contractor in accordance with Parish Traffic Engineering and Safety Standards.

All traffic control devices shall be defined as all signs, signals, markings and other devices used to regulate, warn, or guide traffic, placed on, over, or adjacent to a street, highway, pedestrian facility, or bikeway under the jurisdiction of Jefferson Parish.

All traffic control devices utilized under the terms of this contract shall be in accordance with the "Manual of Uniform Traffic Control Devices" (Latest Edition) as published by the American Traffic Safety Services Association (ATSSA).

The contractor shall be responsible for, at their own expense, providing safe and expeditious movement of traffic through construction zones, i.e., the immediate area of actual construction and all abutting areas used by the contractor and which interferes with the driving or walking public. Contractor responsibility includes, but is not limited to such items as proper construction warning signs, signals, lighting devices, (including electrical/electronic flashing arrow board), markings, barricades, channelization, hand signaling devices, (flagging operations), construction warning signs, detour routing, and any/all additional signage required for proper traffic control shall be provided by the contractor at no additional expense to Jefferson Parish. The Principal and Prescribed Standards are set forth in Part VI of the Manual on Uniform Traffic Devices, Latest Edition. Part VI shall be strictly followed.

All of the signing and traffic control devices shall be approved by the Office of Traffic Engineering, Jefferson Parish Department of Public Works prior to starting the job. All

expenses incurred by the contractor to maintain traffic flow is incidental to the job, there shall be no added or additional payment.

Contractor shall inspect all overhead, surface and sub-surface utility lines prior to start of the project. During the performance of all work outlined in these specifications, the contractor will exercise due caution regarding underground utilities and will cooperate with representatives of the utility companies and/or parish departments to avoid damage to their installations. However, contractor is ultimately responsible for all damages by his actions.

Contractor must locate, protect, support and maintain all subsurface, surface and aerial utilities. In the event of any damage to existing utilities, contractor shall restore service, as soon as possible at contractor's expense. Contractor shall have the sole responsibility of resolving any lawsuit and liabilities arising from defective workmanship, improper maintenance of utilities and/or work site.

If there are any conflicting utilities that need relocation or adjustments, the contractor will allow reasonable time to accomplish this task. There is no added compensation for delays and cost caused by the conflict.

Contractor should consult with the Department of Public Works Traffic Engineering Division immediately upon any vehicular or pedestrian safety or efficiency problem incurred as a result of construction of a project.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0010 THRU 0190 and ITEMS 0250 THRU 300:**

- **REMOVAL / DISPOSAL (when applicable)**

Bid prices should include all costs for labor, equipment and material necessary to remove and dispose of existing pavement for the thickness as shown. Curbing removed with the slab will be at no additional cost. Should the parish desire, the contractor shall dump broken pavement at a disposal site designated by the parish at no added cost, provided that the disposal (dumping) site is within a 21-mile radius of the work site and may involve crossing the Mississippi River. Additionally, should the parish desire, the contractor will load broken pavement onto parish trucks at the work site at no added cost, provided that the parish trucks are present at the work site for loading as the pavement is being removed and do not unduly delay the contractor's work.

Care must be exercised so that jointing materials and devices adjacent to the concrete to be removed shall not be damaged. Any pavement damaged by the contractor as a result of negligence, either willfull or accidental, will be replaced at the contractor's expense.

- **REPLACEMENT / NEW PAVEMENT**

4000 PSI – 24 Hours – High early strength with superplasticizer and other additives, if applicable.

4000 PSI – 72 Hours – High early strength with superplasticizer and other additives, if applicable.

This item covers the furnishing of all materials and installation of PCC pavements for thickness as shown. Concrete shall be Class A, 4000 PSI 24/72 hours high early strength.

Bid prices shall also include adequate curing of the concrete placed and the proper sealing of contraction and expansion joints.

Bid prices shall include all costs for labor, equipment and materials described under this item of the bid proposal. All required jointing materials (including joint sealant) shall be included in price bid under each item. Method of jointing shall be the same as the existing joints in the area of work.

Damaged, missing, and/or new dowel bars (longitudinal/transverse) and starlugs shall be replaced at no additional cost to the parish – 1" x 18" smooth dowel bars for 7" thick pavement (1-1/4" x 18" smooth dowel bars for 9" or thicker pavement) shall be used. The bars shall be placed in the existing pavement by drilling holes to a depth of 9" and filling with an approved epoxy grout before insertion of the dowel bars. Contractor is responsible for any deformed bars for longitudinal joints. If toeing under the slab is approved as an option by the parish representative in lieu of doweling, there is no additional compensation for concrete used for toeing. All costs incurred for this task will be the contractor's responsibility. Bid prices shall also include adequate curing of the newly placed concrete and the proper sealing of contraction and expansion joints of the newly placed concrete.

Bid prices shall also include cost of providing engineering/surveying for alignment, grade, profile, survey stakes, topography when necessary and as required to improve the roadway alignment, curb and gutter layout, drain line installation, etc. Compensation for this shall be incidental to corresponding bid items in the maintenance contract. There is no other compensation. This includes new road, extension of existing road and turning lanes, parking lots, bike and walking trails, etc. All layouts shall be the responsibility of the contractor.

***To be clear: Bid prices for these items include removal, disposal (when applicable) of existing pavement (with or without curbing) and replacement/new pavement including curb (when applicable).

***Average thickness of pavement being removed may vary a few inches (±2 inches) from the actual new pavement thickness being replaced. Average thickness will be based on 4 spot measurements.

Mixes shall conform to Louisiana Department of Transportation and Development Standard Specifications for Roads and Bridges, Latest Edition.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0192 AND 0194:**

These items will be used when the Parish has a desire to remove concrete pavement, without any intent to restore it.

For instance, remove an existing u-turn/turn lane and fill void with dirt/soil.

For clarity, the contractor will NOT be paid for removal under this item when replacing a damaged street panel.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0040 AND 0080:**

HANDICAPPED RAMPS:

Six (6) inch and eight (8) inch 4000 PSI/72 hour high early strength concrete for handicapped ramps, with welded wire mesh.

Where necessary or as directed by the engineer, existing sidewalk and curbing at intersections and medians shall be broken out/or saw cut, removed and replaced with a new Portland cement concrete curb ramp for the handicapped. Curb ramps shall conform to ADAAG (Americans with Disabilities Acts Accessibility) guidelines 4.7.

The detectable warning provided shall be paid at bid unit price (**ITEM 0830**). Bid unit price should include cost for labor, equipment and materials necessary to install masonry units as per Jefferson Parish Standard Plans. Detectable warning shall contrast visually with adjoining surface (reddish like "terra cotta). 24" x 48" cast-in-place detectable warning system must have raised truncated domes per ADAA specifications. Contractor must use one-piece truncated dome mats/pads made of a homogenous glass and carbon reinforced composite which is colorfast and UV stable. Panel color shall be uniform throughout. Backside of panel should have ribs that embed within the curing concrete.

Batture sand for dress, breaking out and removal of existing sidewalk will be paid for in other items.

Any other materials or labor needed to accomplish curb ramps for the handicapped must be incidental to the above items.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0200 THRU 0240:**

Additional charge for replacing special/decorative pavement surfaces with in-kind material.

Contractor must get approval from Jefferson Parish Department of Streets (Inspectors) prior to selecting/finalizing replacement material.

Payment will be per square yard of pavement surface that is reinstalled.

All labor and material incidental to the installation of the pavement surface shall be included in this price.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0280 THRU 0300:**

4000 PSI high early strength (24 or 72 hours), (No. 4 deformed reinforcing bars are to be included in price of this item. If a detail does not exist for a specific case, then contractor shall place bars on top and bottom level of box-out, around the entire perimeter and then across both directions @ 6 inches on center).

Bid prices to include material, labor and equipment necessary to remove and replace a box-out on an existing pavement, or to install on new pavement.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEM 0350**

Specifications shall be in accordance with Louisiana Standard Specifications for Roads and Bridges under "STONE". In addition, material shall be calcitic or dolimitic with calcium carbonate not less than 85% and the silica content (impurities) not to exceed 5%.

Limestone used on asphalt pavement shoulders shall be comparable to Mexican limestone in color and gradation.
Shoulder Aggregate

This material shall conform to the following gradation:

Limestone

U.S. Sieve	Percent Passing
1.5"	100
0.75"	50-100
No. 4	35-65
No. 40	10-32
No. 200	3-15

Aggregate shall conform to LADOTD Standard Specifications for Roads and Bridges, Subsection 1003.01, Latest Edition.

The fraction of stone passing the No. 40 sieve shall be non-plastic.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0310 THRU 0360:**

These items cover work and material generally associated with base, shoulder, drainage and dress-up work. Excavation will be paid by cubic yard truck measure loaded at the job sites or by computing theoretical volume at the approval of the parish representative. Fill materials will be paid by cubic yard truck measure delivered to the work site. Bid prices shall include costs for compaction and grading of materials when used for base construction. Should the parish desire, the contractor will dump excavated materials at a disposal site designated by the parish at no added cost, provided that the disposal (dumping) site is within a 21-mile radius of the work site and may involve crossing the Mississippi River. Additionally, should the parish desire, the contractor will load excavated material onto parish trucks at the work site at no added cost provided that the parish trucks are present at the work site at the time of excavation and do not unduly delay the contractor's work. However, ultimate responsibility for disposal of all the excavated material rests with the contractor. Haul and/or loading tickets will be issued for each truck load of material delivered and placed on the job and/or truck load of excavated material haul from the job site.

All the original haul tickets must be furnished by the contractor for payment.

The contractor will exercise due caution regarding underground utilities during excavation operations and will notify and coordinate with representatives of utility companies and parish

departments to avoid damage to their installations. However, contractor is ultimately responsible for all damages caused by his actions. Also, if any conflicting utility needs "relocation or adjusting", the contractor will allow reasonable time to accomplish the task. There will be no additional compensation for the time delay caused by the conflicts.

No trucks with greater load capacity than 18 cubic yards shall be allowed on residential streets for excavation, concrete/asphalt removal or fill material delivery without authorization from the engineer. Should the contractor fail to meet this condition, all damage resulting will be repaired at the contractor's expense.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0370 THRU 0570:**

Bid prices should include all cost of labor, materials (pipe, excavation, bedding, boards, fill, etc.) and equipment necessary to install new drain pipe and/or remove and replace existing drain pipe as described under this item of the proposal. All workmanship and material shall be in accordance with Jefferson Parish Department of Engineering Standard Plans. (Boards shall be used during the installation of concrete pipe.) Each joint will be wrapped with filter cloth 36" wide, and over lapped, a minimum of 36".

SDR 35 P.V.C. pipe shall not be used for any new crossings below the roadway.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0580 THRU 0800:**

Specific depths for drain structures will vary with each project. However, it is anticipated that most subsurface drainage systems installed under this contract will be generally shallow. For bidding purposes, drain structure depths should be assumed in the 3 to 5 ft. range as an average.

Reinforcing for base slab shall be No. 5 bars at 6" O.C. minimum each way (3" above bedding material), and shall be included in the price of the structure.

Frames, grates and covers for manholes, catch basins and drop inlet should be the heavy duty type. The only acceptable frames, grates and covers are those which are domestically manufactured. All castings shall be clearly stamped or engraved with the manufacturer's name and part number on the casting.

Foundation for all drainage structures should follow Jefferson Parish Standard Details.

Oversized junction boxes (special) shall be compensated at bid unit prices. The cost shall include all necessary material including reinforcing steel and labor. The height and base area are used as guidance for bidding purposes only. Minimum reinforcing for the base slab shall be 2 layers of No. 6 bars on 6" O.C. each way, 3" cover for bottom steel and 2" cover for top steel. Concrete for the box shall be Class A. The design for the drainage structures at each location shall be submitted by the contractor for approval by the department director.

Occasionally this contractor may be required to install drainage inlets (and drain pipes) to remove ponding water and bird baths. All drainage box (and drain pipe) installations will follow Jefferson Parish Department of Public Works procedures. Bid prices for the drainage structure

(box/inlet) shall include the bricks/mortar to construct the box, bedding material, foundation, (and reinforcing bars), excavation, backfill materials, etc. as required. (See spec for Items 0370 thru 0570 regarding bid price for pipe.)

Typical details for construction of drain structures are available from the Department of Public Works upon request.

**THE BELOW SPECIFICATIONS APPLY TO
ITEM 0810:**

Machine saw cuts in concrete/asphalt shall be paid for by linear foot of cut and the depths shall be pre-approved by parish representatives and measured in the field

**THE BELOW SPECIFICATIONS APPLY TO
ITEM 0830:**

Detectable Warning Pad (24" x 48") with Raised Truncated Domes (Per ADA Guidelines), Visually Contrasting with Adjoining Surfaces (Reddish Like "Terra Cotta" In-Place for Curb Ramps and Loading Zones)

Bid unit price should include the cost for labor, equipment and materials necessary to install detectable warning pads with raised truncated domes as per Jefferson Parish Standard Plans. Detectable warning shall contrast visually with adjoining surface (reddish like "TERRA COTTA"). Detectable warning pad should be set into concrete as it is curing/wet.

Descriptions:

This cast in place detectable warning system is to be used for the construction of new handicap ramps. The cast in place detectable warning systems must have a minimum 0.20 inch nominal thickness and feature embedment ribs through entire length of the panel (maximum rib spacing of 3 inch on center). This product must be in accordance with ADA regulations for detectable warning on curb ramps.

Material:

This product is made of a homogenous glass and carbon reinforced composite which is colorfast and UV stable. Truncated domes are fiberglass reinforced for enhanced durability. The panel color is uniform throughout and does not rely on any type of paint coating to achieve color stability.

Physical Characteristics:

The cast in place detectable warning systems must have a slip resistance coefficient of 1.18-Dry/1.05-Wet or better.

The detectable warning system must resist chemical staining, freezing and heating.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0900:**

This work consists of preparing seed beds and sowing grass seed utilizing hydro-seeding equipment and methods in order to establish a turf grass cover to areas designated in the plans or as directed in accordance with Section 739 of the Louisiana Standard Specifications for Roads and Bridges, Latest Edition. This item will be paid at the contract unit price per square yard of hydro-seeding installed. Including all necessary labor, equipment, materials and incidentals required for completion of work.

**THE BELOW SPECIFICATIONS APPLY TO
ITEM 0910:**

This work consists of furnishing and installing geotextile fabric (Class D) on/under road bed surface, in conformity with the requirements of Section 1019 of the LADOTD Standard Specifications for Roads and Bridges, Latest Edition.

Bid prices for this item are to include all costs for labor, materials and equipment necessary to install geotextile fabric approved by Department of Streets representative. Installation shall be in accordance with the manufacturer's specifications, instruction and procedure.

**THE BELOW SPECIFICATIONS WILL APPLY TO
ITEMS 0920 AND 0930:**

Geogrid

This work consists of furnishing and installing geogrid in locations designated and/or directed by the engineer.

Installation must be in strict accordance with manufacturer's instructions and requirements.

Geogrid will be paid for per square yard, which includes furnishing all equipment, labor, materials and incidentals necessary to complete the work.

The geogrid shall conform in all respects to the physical property values listed in the manufacturing specifications. The listed property values are certifiable minimum average roll values unless otherwise noted and are equal to the mean value less one standard deviation which reflects the desired 95% confidence level. These values are subject to verification by an independent laboratory.

Alternate Material

Alternate geogrid materials will be considered. Such materials should be pre-approved in writing by the engineer prior to bid date. Alternate material packages should be submitted to the engineer a minimum of 15 days prior to bid date. Submittal packages should include the following as a minimum:

1. Full-scale laboratory testing and in-ground testing of pavement structures reinforced with the specific geogrid which illustrates significant structural contribution of the geogrid to the pavement structure.

2. Certified test results stating that the alternative geogrid has a secant aperture stability modulus at 20 cm-kg. when tested in accordance with the "Grid Aperture Stability by Inplate Rotation" Test of 3.2 or greater for Type 1 and 6.50 or greater for Type 2.
3. A design guideline illustrating flexible pavement design methods implementing the alternate geogrid.
4. A list of 10 comparable projects, in terms of size and application, in the United States, where the results of the specific alternate geogrid's use can be verified after a minimum of 3 years of service life.
5. A sample of the geogrid and certified material property data sheets.
6. Recommended installation instructions.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 0940 AND 0950:**

Fibrous Material

The mat in different widths shall be applied over longitudinal PCC joints, traverse joints and cracks and random cracks according to specifications prior to resurfacing concrete or asphalt pavements.

The mat material shall be a heavy-duty crack reduction/stress relief interlayer material consisting of a flexible high density asphaltic membrane laminated between 6oz/sy woven polyester geotextile. The mat shall be pave-prep type (S) standard and type (SA) self adhesive or equal. The alternatives shall meet or exceed the physical properties stipulated by pave-prep. Any alternatives have to be approved by this department prior to its usage on the job.

Application and installation of the material shall strictly follow manufacturer's specifications. Contractor shall submit manufacturer's technical data on the fibrous material properties for approval a minimum of 15 days prior to its use in the field. Submittal shall also include documentation supporting the successful use of the product for a minimum of 5 years. The bid unit price for the fibrous material shall include the cost of the material, equipment, labor and all other incidentals. There will be no other compensation.

**THE BELOW SPECIFICATIONS APPLY TO ITEMS
0970 THRU 1000:**

Bid prices for this item shall include all costs for labor, material and equipment necessary to install conventional Portland cement concrete curb and gutter (barrier or roll-over) with a maximum cross section area of (200, 250, 300 or 400) square inches as specified in the item description. Payment shall be per linear foot of curb installed.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1030:**

For this item the contractor shall saw cut a groove in a roadway (asphalt/concrete), install loop wire, seal the saw cut with sealant and make connections of loop wire to lead in cable. Details of saw cut and loop wire installations are available at Jefferson Parish Traffic Division (736-

6530). The Jefferson Parish Traffic Engineering Division shall determine the size and placement of the loop(s) as per transmittal. Inductance loop is typically 6' x 6'.

Ruscoe No. 983 traffic detector loop sealant, Preco gold label flex 1P loop sealant, 3M brand loop sealant, safety coatings loop guard for loop detector sealant or approved equal shall be used to seal loop wires in roadway.

Saw cutting and sealant required to complete this task shall be included in the per foot cost of this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1040:**

Conduit in earth installation or replacement. The Jefferson Parish Traffic Engineering Division (736-6530), shall determine the size and placement of conduit as needed.

All schedule No. 40 polyvinyl chloride conduit (P.V.C.) and fittings as noted in Section 1 for underground installation.

All joints shall be solvent welded and watertight.

Conduit to be installed a minimum of three feet (3') below grade, unless otherwise specified by the Traffic Engineering Division. When boring operations are employed, the contractor shall bore from one side of the roadway to the other. All excavations on side of roadway are to be restored to their original condition.

Any excavation and backfill required to perform this task shall be included in the per foot cost of this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1050:**

Make: _____
Model: _____
H.P. _____

Bid prices shall include all costs for hourly rental of conventional heavy duty road grader, with scarifier and operator. Rental of the equipment will be for specific projects under control of the Department of Streets and will be assigned project job numbers. The use of road graders by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1060:**

Bid prices shall include all costs for hourly rental of a self-contained, mobile, heavy-duty pavement breaker with operator. Rental of this will be for work under control of the Department of Streets. The use of pavement breakers by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1070:**

Bids should include all costs for hourly rental of a grade-all class 5100, or equal, with operator. Rental of this equipment will be for work under control of the Department of Streets. The use of a grade-all by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1080 AND 1090:**

Bid prices should include all costs for hourly rental of a dump truck, tandem/trailer, 12/24 cubic yard minimum capacity with driver. Rental of this vehicle will be for work under control of the Department of Streets. The use of tandem/trailer dump trucks by the contractor in the performance of items of work as listed elsewhere under this contract will not be billed separately as under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1100:**

Bid price should include all costs for hourly rental of a street sweeper 10' sweep pattern, 8' main broom, (2) two 2' side brooms and 3.5 cubic yard minimum front loading hopper with operator. Rental of this equipment will be for work under control of Department of Streets. Use of street sweeper in the performance of items of work listed elsewhere under this contract will not be billed separately under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEMS 1110:**

Bid prices should include all costs for hourly rental of a dozer model D-3, or equivalent, with operator. Rental of this equipment will be for work under control of Department of Streets. Use of dozer in the performance of items of work listed elsewhere under this contract will not be billed separately under this item.

**THE BELOW SPECIFICATIONS APPLY TO
ITEM 1140:**

This item represents the additional fee (expressed in %) owed to the contractor for night work.

Night work is defined as work performed between the hours of 7:00PM and 7:00AM.

While performing night work, only those items used will be payable under the night work Line Item 1140.

Additional fee for night work is to be expressed in percentage and dollar amount as follows:

- A. Sum of "Totals" for Items 0010 through 1130.
\$ _____

- B. Indicate percentage (%) that will be charged for Items 0010 through 1130 that are used while performing night work.
_____ %
- C. For bidding purposes, the Parish anticipates that 3% of all work performed under this contract will be night work. That anticipated percentage (3%) may be more or may be less. Multiply that percentage (3%) by your percentage (%) (From B, above) that will be charged for night work to be used in the calculation below.
- D. Multiply the dollar amount of (A) by the percentage (%) derived from (C) to get a dollar value. This total is to be entered as "Unit Price Quoted" for Item 1140.

For Bidding Purposes:

The "Unit Price Quoted" above (D) will only be used in determining the low bid.

For Invoicing Purposes:

The percentage (%) indicated above in (B) will be used for invoicing of night work.

The contractor will be required to submit separate invoices for night work.

CURBS:

The Portland cement concrete mixture for curb construction shall be a minimum of 4000 PSI/72 hour, high early strength and also will provide proper workability, curb strength, and minimum contraction cracking. The concrete mix shall conform to Louisiana Department of Transportation and Development Standard Specifications for Roads and Bridges, Latest Edition. PCC curbing may be placed by extruding machine or by forming and hand placement at contractor's option and will be bonded to holding surface in a manner approved by the Department of Streets, which may include doweling and/or approved bonding agent. Curbing may also be poured monolithically with the panel.

The accepted quantities of curbs will be paid for at the contract unit price per linear foot on existing panels (incidental to square yard cost of new pavement), including all labor, equipment and materials incidental to the work.

No additional payment will be made for the removal of any type of existing curb and/or curb dowels.

RECYCLED PORTLAND CEMENT CONCRETE:

Recycled Portland cement concrete shall be used from approved stockpiles. Stockpiles of crushed concrete shall be uniform and free from soils, reinforcing steel, debris, excessive amount of asphaltic materials and other foreign matter. Material sampling shall be in accordance with the requirements for stone by the Louisiana Department of Transportation and Development's, Latest Edition and Revisions and all applicable sections of the materials sampling manual. Crushed concrete shall conform to the abrasion and soundness requirements of the Standard Specifications for Roads and Bridges, Latest Edition and conform to the following gradation:

Class I

U. S. Sieve	Percent Passing
1-1/2"	100
1"	90-100
3/4"	70-100
No. 4	35-65
No. 40	12-32
No. 200	5-16

Aggregate passing the No. 40 sieve shall have a maximum plasticity index of 6.

Class II

Crushed concrete in Class II gradation shall have 100% passing through 4 inch mesh and a maximum of 20% passing through 2 inch mesh.

Crushed concrete in Class II shall be bid under item for crushed concrete.

SAND

Sand shall conform to the following requirements:

Liquid Limit (Maximum)	25%
Plasticity Index (Maximum)	6%

CRACK AND JOINT SEALING (SEE ITEM 0890):

This item is to provide general sealing of cracks and/or joints in existing pavement. This work would usually be done in areas contiguous to a paving project being done under this contract. Bid prices should include all costs for labor, materials and equipment required to apply an approved liquid poured sealant of the asphalt type as specified under Section 1005.02 of LADOTD Specifications for Roads and Bridges, Latest Edition and Revisions. Cracks and/or joint shall be cleaned and chipped if necessary in accordance with generally accepted procedures prior to pouring the sealant.

REINFORCING STEEL:

This work consists of furnishing fabricating and placing reinforcing steel for reinforced Portland cement concrete structures.

Reinforcing steel shall be Grade 60 deformed bars conforming to ASTM 615, in accordance with Sections 806 and 1009 of the LADOTD Standard Specifications for Roads and Bridges, Latest Edition.

Reinforcing steel will be paid for by the pound, which includes furnishing all equipment, labor and materials necessary to complete the work, unless used in conjunction with another item that includes reinforcing steel as incidental to its unit price, (such as items 0280, 0290, and 0300).

TESTING:

The parish at its own will and expense can appoint an independent testing laboratory for material and construction testing. No advance notice of testing will be provided to the contractor. Also testing by parish will not relieve contractor from his own testing procedures. In the event test results by contractor or parish do not meet the required specifications, contractor shall replace or reconstruct and correct all the deficiencies to satisfy the specifications. There shall be no adjustment in bid price for additional pavement thickness detected as a result of any testing.

GENERAL:

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the inspector general in any investigation, audit, inspection, performance review, or hearing pursuant to this chapter. Every parish contract and every bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program shall contain a statement that the corporation, partnership, or person understands and will abide by all provisions of this chapter.

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

INCORPORATED.

AT THE MEETING OF DIRECTORS OF _____
INCORPORATED, DULY NOTICED AND HELD ON _____,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED. THAT _____, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE AND RECEIPT THEREFOR ALL
PURCHASE ORDERS AND NOTICES ISSUED PURSUANT TO THE PROVISIONS OF
ANY SUCH BID OR CONTRACT, THIS CORPORATION HEREBY RATIFYING,
APPROVING, CONFIRMING, AND ACCEPTING EACH AND EVERY SUCH ACT
PERFORMED BY SAID AGENT AND ATTORNEY-IN-FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE
ABOVE DATED MEETING OF THE BOARD
OF DIRECTORS OF SAID CORPORATION,
AND THE SAME HAS NOT BEEN
REVOKED OR RESCINDED.

SECRETARY-TREASURER

DATE

Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Public Works Bid

AFFIDAVIT

STATE OF _____

PARISH/COUNTY OF _____

BEFORE ME, the undersigned authority, personally came and appeared: _____
_____, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized _____ of _____ (Entity),
the party who submitted a bid in response to Bid Number _____, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

**(Choose A or B, if option A is indicated please include the required
attachment):**

Choice A _____ Attached hereto is a list of all campaign contributions, including
the date and amount of each contribution, made to current or
former elected officials of the Parish of Jefferson by Entity,
Affiant, and/or officers, directors and owners, including
employees, owning 25% or more of the Entity during the two-year
period immediately preceding the date of this affidavit or the
current term of the elected official, whichever is greater. Further,
Entity, Affiant, and/or Entity Owners have not made any
contributions to or in support of current or former members of the
Jefferson Parish Council or the Jefferson Parish President through
or in the name of another person or legal entity, either directly or
indirectly.

Choice B _____ there are **NO** campaign contributions made which would require
disclosure under Choice A of this section.

Affiant further said:

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the parish to the Affiant.

Choice B _____ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Affiant further said:

Affiant personally has not been convicted of, nor has he/she entered into a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. No individual partner, incorporator, director, manager, officer, organizer, or member, who has a minimum of a ten percent ownership in the Bidding Entity, has been convicted of, or has entered a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall permanently bar any person or the bidding entity from bidding on public projects:

- (a) Public bribery (R.S. 14:118)
- (b) Corrupt influencing (R.S. 14:120)
- (c) Extortion (R.S. 14:66)
- (d) Money laundering (R.S. 14:230)

A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall bar any person or the bidding entity from bidding on public projects for a period of five years from the date of conviction or from the date of the entrance of the plea of guilty or nolo contendere:

- (a) Theft (R.S. 14:67)
- (b) Identity Theft (R.S. 14:67, 16)
- (c) Theft of a business record (R.S. 14:67.20)
- (d) False accounting (R.S. 14:70)
- (e) Issuing worthless checks (R.S. 14:71)
- (f) Bank fraud (R.S. 14:71.1)
- (g) Forgery (R.S. 14:72)
- (h) Contractors; misapplication of payments (R.S. 14:202)
- (i) Malfeasance in office (R.S. 14:134)

The five-year prohibition provided for in this section shall apply only if the crime was committed during the solicitation or execution of a contract or bid awarded pursuant to these provisions. If evidence is submitted substantiating that a false attestation has been made and the project must be readvertised or the contract cancelled, the awarded entity making the false attestation shall be responsible to the public entity for the costs of rebidding, additional costs due to increased costs of bids and any and all delay costs due to the rebid or cancellation of this project.

[The remainder of this page is intentionally left blank.]

Affiant further said:

- (1) Entity is registered and participates in a status verification system to verify that all employees in the State of Louisiana are legal citizens of the United States or are legal aliens.
- (2) Entity shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the State of Louisiana.
- (3) Entity shall require all subcontractors to submit to the Entity a sworn affidavit verifying compliance with statements (1) and (2).

Signature of Affiant

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE _____ DAY OF _____, 20__.

Notary Public

Printed Name of Notary

Notary/Bar Roll Number

My commission expires _____.

STANDARD INSURANCE REQUIREMENTS – PUBLICLY ADVERTISED BIDS

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the advertised bid. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council as additional insureds regarding negligence by the contractor for the Commercial General Liability, Workmen's Compensation Insurance and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

☒ WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☒ **COMMERCIAL GENERAL LIABILITY**

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☒ **COMPREHENSIVE AUTOMOBILE LIABILITY**

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES

No insurance required shall include a deductible not greater than \$10,000.00. The cost of the deductible shall be borne by the contractor.

NOTE: If the vendor requires a change in deductibles, the request must be submitted in writing to the Purchasing Department prior to the due date of the bid. Such request shall be reviewed by the Parish Attorney's Office with the concurrence of the Director of Risk Management.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required unless otherwise specified in the bid. Such insurance is due upon contract execution.

1) OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

2) BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.